Section 1: Identification of the Substance/Mixture and the Company/Undertaking

Product Name: YB1 EPOXY MOISTURE MITIGATION SYSTEM PART A Product Code: YB1 MMS Part A

Continental Products, TD

1150 East 222nd Street Euclid, OH 44117 United States www.yourbrand.com yourbrand@riofloor.com (888) 278-2183

Chemtrec: 800-424-9300 703-741-5970



Section 2: Hazard(s) Identification

GHS Ratings:

<u>v</u>			
Skin corrosive	2	Reversible adverse effects in dermal tissue, Draize score: >=	
Eye corrosive	2A	2.3 < 4.0 or persistent inflammation Eye irritant: Subcategory 2A, Reversible in 21 days	
Skin sensitizer	24	Skin sensitizer	
Okin Sensitizei	I	OKIT SCHSRIZEL	
<u>GHSHazards</u>			
H315	Causes skin irritation		
H317	May cause an allergic skin reaction		
H319	Causes serious eye irritation		
GHS Precautions			
P261	Avoid breathing dust/fume/gas/mist/vapours/spray		
P264	Wash thoroughly after handling.		
P272	Contaminated work clothing should not be allowed out of the workplace		
P280	Wear protective gloves/protective clothing/eye protection/face protection		
P321	Specific treatment, see supplemental first aid information.		
P362	Take off contaminated clothing and wash before reuse		
P363	Wash contaminated clothing before reuse		
P302+P352	IF ON SKIN: Wash with soap and water		
P305+P351+P338	IF IN EYES: Rinse continuously with water for several minutes. Remove contact		
	lenses if preser	nt and easy to do - continue rinsing	
P332+P313	If skin irritation occurs: Get medical advice/attention		
P333+P313	If skin irritation or a rash occurs: Get medical advice/attention		
P337+P313	Get medical advice/attention		
P501	Dispose of contents/container in accordance with		
	local/regional/national/international regulations. Manufacturer/supplier or the		
	competent authority to specify whether disposal requirements apply to contents, container or both.		

Signal Word: Warning



Section 3: Composition/Information on Ingredients

Chemical Name	CAS number	Weight Concentration %
Bisphenol-A epoxy resin(number average molecular weight < 700)	25068-38-6	60.00% - 70.00%
Alkyl (C12-14) glycidyl ether	68609-97-2	10.00% - 20.00%
Phenol, polymer with formaldehyde, glycidyl ether	28064-14-4	10.00% - 20.00%

Section 4: First Aid Measures

4.1 Description of First Aid Measures

After Inhalation: Supply fresh air. If required provide artificial respiration. Keep patient warm. Consult doctor if symptons persist.

After Eye Contact: Remove contact lens if worn. Rinse opened eye for several minutes unter running water. If symptoms persist, consult a doctor.

After Skin Contact: Immediately wash with wter and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

After Swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting. Call for medical help immediately.

Notes to Physician: Treat symptomatically

Section 5: Firefighting Measures

Flash Point: 150 C (302 F) LEL:

UEL:

5.1 Extinguising Media

Alcohol resistant foam Fire-extinguishing powder Carbon dioxide **5.2 Special Hazards Arising from the Substance of Mixture** Formation of toxic gases is possible during heating or in case of fire. **5.3 Hazardous Combustion Products** Carbon oxides **5.4 Advice for Firefighters** Wear self-contained respiratory protective device **5.5 Fire Equipment**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations

Section 6: Accidental Release Measures

6.1 Personal Precautions, Protective Equipment and Emergency Procedures

Do not breathe vapors

Avoid contact with skin, eyes and clothing

Remove all non-essential people from the affected area .

Ensure adequate ventilation

Wear protective equipment

6.2 Environmental Precautions: Do not allow to enter sewers/ surface or ground water. Prevent

seepage into sewage system, workpits and cellars

6.3 Methods and Materials for Containment and Cleaning Up:

Ensure adequate ventilation.

Pick up and arrange disposal without creating dust.

Dispose of the collected material according to regulations

6.4 Reference to Other Sections

For personal protection see Section 8

For disposal information see Section 13.

Section 7: Handling and Storage

7.1 Precautions for Safe Handling

Do not breath vapour/spray

Do not get in eyes, on skin, or on clothing

Ensure good ventilation/exhaustions at the workplace

Make sure that all applicable workplace limits are observed.

7.2 Conditions for Safe Storage, Including any Incompatibilities

Store in cool, dry conditions in well sealed receptacles

Keep receptacle tightly sealed. Store in dry conditions.

Protect from humidity and water

Storage temperature 10 - 50 °C

Do not store together with oxidizing and acidic materials.

Requirements to be Met by Storerooms and Receptacles: Observe all local and national

regulations for storage of water polluting products.

7.3 Specific End Use(s)

No further relevant information available.

Section 8: Exposure Controls/Personal Protection					
Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits		
Bisphenol-A epoxy resin (number average molecular weight < 700) 25068-38-6	Not Established	Not Established	Not Established		
Alkyl (C12-14) glycidyl ether 68609-97-2	Not Established	Not Established	Not Established		
Phenol, polymer with formaldehyde, glycidyl ether 28064-14-4	Not Established	Not Established	Not Established		

8.1 General Protective and Hygienic Measures

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working

Keep away foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin

8.2 Personal Protective Equipment

Eye Protection: Safety glasses with side shields. If splashes are likely to occur, wear goggles. Respiratory Protection: Use suitable respirator protective device in case of insufficient ventilation . Use suitable respiratory protective device when aerosol or mist is formed.

Protection of Hands: Protective gloves: to avoid skin problems, the glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Material of Gloves: Neoprene, butyl rubber gloves, the selection of the suitable gloves does not only depend on the material, but also on the further marks of quality and varies from manufacturer to manufacturer several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application. Penetration time of Glove Material: Protective gloves should be replaced at the first signs of wear. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Additional Information: The lists that were valid during the creation were used as a basis.

nformation on Basic Physical and Chemic	al Properties	
Appearance	Odor: Low	
Vapor Pressure: N/A	Odor threshold: N/A	
Vapor Density: N/A	WPG9.67	
Freezing point: N/A	Solubility: Not Tested	
Boiling range: N/A	Flash point: Non Flammable	
Evaporation rate: N/A	Flammability: Non Flammable	
Explosive Limits: N/A	Partition coefficient (n- N/A octanol/water):	
Autoignition temperature: N/A	Decomposition temperature: N/A	
VISCOSITY:BROOK 800 CP	Grams VOC less water: Zero	

Section 10: Stability and Reactivity

10.1 Reactivity

Stable under recommeded storage conditions. No decomposition if stored and applied as directed. UNSTABLE

10.2 Chemical Stability

No decomposition if stored and applied as directed.

10.3 Possibility of Hazardous Reactions

No data available

Hazardous polymerization will not occur. Section 11: Toxicological Information

Mixture Toxicity Component Toxicity

11.1 Information on Toxicological Effects Routes of Entry: Ingestion Target Organs: No data available Effects of Overexposure

Carcinogenicity: The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing), or ACGIH (optional listing).

CAS Number	Description	<u>% Weight</u>	Carcinogen Rating
None			No data available

Section 12: Ecological Information

12.1 Persistence and Degradability

Product: No further relevant information available

12.2 Bioaccumulative Potential

Product: Bioaccumulation: No further relevant information available Partition coefficient: n-octanol/water: No further relevant information available

12.3 Mobility in Soil

Product: Distribution among environmental compartments: No further relevant information available.

Additional Ecological Information:

General notes: German Hazard Water Class 1

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.4 Results of PBT and vPvB Assessment

Assessment: This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB)

12.5 Other Adverse Effects

Product: No further relevant information available

12.6 Toxicity

SDS for: YB1 MMS Part A

Section 13: Disposal Considerations

13.1 Waste Treatment Methods

Product: The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches the chemical or used container. Offer surplus and non-recyclable solutions to a licensed disposal company. Send to a licensed waste management company.

Contaminated Packaging: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers

Section 14: Transport Information 14.1 UN Number Agency Not Proper Shipping Name Regulated UN Number Packing Group Hazard Class Section 15: Regulatory Information 15.1 Sefety: beakth and any incomparently provided in a provid

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Prop 65 Chemicals Known to Cause Developmental Toxicity - None
- Prop 65 Chemicals Known to Cause Cancer:
 - None
- U.S. CERCLA/SARA Hazardous Substances and their Reportable Quantities - None
- U.S. CERCLA/SARA Section 302 Extremely Hazardous Substances EPCRA RQs - None
- U.S. CERCLA/SARA Section 302 Extremely Hazardous Substances TPQs - None
- U.S. CERCLA/SARA Section 313 Emission Reporting
 - None
 - None
- TSCA (Toxic Substances Control Act) - None

<u>Country</u>
USA
Korea
New Zealand
EU Risk Phrases

Regulation

Inventory - United States - Section 8(b) Inventory (TSCA)YesKECL (Korean Existing Chemical and Chemical Substance YesNZIoC (New Zealand Inventory of Chemicals)Yes

All Components Listed

<u>Safety Phrase</u>

Section 16: Other Information

DISCLAIMER

THE INFORMATION CONTAINED HEREIN WAS RECEIVED FROM OUR RAW MATERIAL SUPPLIERS AND OTHER SOURCES. RIO FLOORING SYSTEMS MAKES NO EXPRESS OR IMPLIED WARRANTIES REGARDING THE ACCURACY OF THE ABOVE INFORMATION AND YOU SHOULD NOT RELY ON IT. YOU SHOULD TEST THIS PRODUCT FOR CHEMICAL COMPOSITION AND CONSULT APPLICABLE SAFETY AND MEDICAL STANDARDS AND PROFESSIONAL RELATED THERETO. RIO FLOORING SYSTEMS DOES NOT WARRANT THE SUITABILITY OF THE PRODUCT FOR ANY APPLICATION BY THE USER, INCLUDING ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE.

Reviewer Revision

Date Prepared: 5/11/2018